



## left/RIGHT

[left/RIGHT, MEDIUM]

**left/RIGHT because we all are different**

New design and new colour.

Individual muffs for the left and right ear.

Brand new headband design for a better fit.

Large muff providing more room for the ear.

Thinner and more flexible noise reduction rings.

- Available both as headband and helmet attachment.
- Individual muffs for the left and right ear.
- Brand new headband design for a better fit.
- Large muff providing more room for the ear.
- Thinner and more flexible noise reduction rings.
- To be used in following environment - for example: OGP (Oil & Gas producers), construction, farming, forestry, general industry
- Available in 4 different colour - white, yellow, blue and dark grey.
- Weight 227 g





### left/RIGHT MEDIUM, Headband

EN352-1:2002 : SNR = 28 dB, H=32 dB, M=26 dB, L=17 dB

Frequency [Hz]	63	125	250	500	1000	2000	4000	8000
Mean value [dB]	17,6	13,9	18,1	28,0	34,9	31,6	35,4	37,9
Std.dev. [dB]	5,5	2,4	3,1	2,5	2,8	2,8	1,4	2,5
APV value [dB]	12,1	11,4	15,0	25,5	32,1	28,8	34,0	35,4

ANSI S3.19-1974: NRR = 25 dB

### left/RIGHT MEDIUM, Helmet

EN352-3:2002 : SNR = 28 dB, H=29 dB, M=25 dB, L=17 dB

Frequency [Hz]	63	125	250	500	1000	2000	4000	8000
Mean value [dB]	13,4	13,8	18,8	26,9	34,1	30,9	33,6	37,8
Std.dev. [dB]	4,1	3,0	3,2	2,1	2,9	4,3	2,5	2,9
APV value [dB]	9,3	10,8	15,6	24,8	31,1	26,6	31,1	35,0

ANSI S3.19-1974: NRR = 25 dB